

Calscience



WORK ORDER NUMBER: 14-08-0423

The difference is service



AIR SOL WATER | MARINE CHEMISTRY

Analytical Report For

Client: CH2M Hill

Client Project Name: Dynegy SBPP / 482070.01.03

Attention: James Laws

6 Hutton Centre Drive, Suite 700 Santa Ana, CA 92707-5735

Est Och for

Approved for release on 08/11/2014 by: Virendra Patel Project Manager




Emailyour PM x

Resulting

Eurofins Calscience, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.

744h Francis Ver Gurden Gross (A.9754), 1437 - TEL 7748 2005-2014 - 742 7744 894-759) - www.calesteine.com

NELAP DI 002/00A I ACLASS DODIELAP ID ADE 1064 (ISDREC 17025/2025) I OSDLAG DI 10109 I SCAQMO DI POLADERS



Calscience

Contents

Client Pro Work Ord	, ,,	
1	Vork Order Narrative	3
2	Sample Summary	4
3	Client Sample Data	5 5
4	Quality Control Sample Data	6 6 7
5	Sample Analysis Summary	8
6	Glossary of Terms and Qualifiers	9
7	Chain-of-Custody/Sample Receipt Form	10



Work Order Narrative

Work Order: 14-08-0423 Page 1 of 1

Condition Upon Receipt:

Samples were received under Chain-of-Custody (COC) on 08/06/14. They were assigned to Work Order 14-08-0423.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

New York NELAP air certification does not certify for all reported methods and analytes, reference the accredited items here: http://www.calscience.com/PDF/New_York.pdf

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.



Sample Summary

Client:	CH2M Hill	Work Order:	14-08-0423
	6 Hutton Centre Drive, Suite 700	Project Name:	Dynegy SBPP / 482070.01.03
	Santa Ana, CA 92707-5735	PO Number:	482070.1000
		Date/Time Received:	08/06/14 19:40
		Number of	1

Containers:

Attn: James Laws

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
SBPP-147-D-080514	14-08-0423-1	08/06/14 14:50	1	Concrete



Analytical Report

CH2M Hill 6 Hutton Centre Drive, Suite 700 Santa Ana, CA 92707-5735 Date Received: Work Order: Preparation: Method:

Units:

EPA 3545 EPA 8082 ug/kg

08/06/14

14-08-0423

Project: Dynegy SBPP / 482070.01.03

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
SBPP-147-D-080514	14-08-0423-1-A	08/06/14 14:50	Concrete	GC 58	08/07/14	08/09/14 20:18	140807L19
<u>Parameter</u>		<u>Result</u>	<u>RL</u>		<u>DF</u>	Qua	lifiers
Aroclor-1016		ND	50		1.00		
Aroclor-1221		ND	50		1.00		
Aroclor-1232		ND	50		1.00		
Aroclor-1242		ND	50		1.00		
Aroclor-1248		ND	50		1.00		
Aroclor-1254		ND	50		1.00		
Aroclor-1260		ND	50		1.00		
Aroclor-1262		ND	50		1.00		
Surrogate		Rec. (%)	<u>Co</u>	ntrol Limits	Qualifiers		
Decachlorobiphenyl		94	24-	-168			
2,4,5,6-Tetrachloro-m-Xylene		88	25-	-145			

Method Blank	099-12-535-2795 N/A	Solid GC 58	08/07/14	08/09/14 140807L19 18:12
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	Qualifiers
Aroclor-1016	ND	50	1.00	
Aroclor-1221	ND	50	1.00	
Aroclor-1232	ND	50	1.00	
Aroclor-1242	ND	50	1.00	
Aroclor-1248	ND	50	1.00	
Aroclor-1254	ND	50	1.00	
Aroclor-1260	ND	50	1.00	
Aroclor-1262	ND	50	1.00	
Surrogate	Rec. (%)	Control Limits	Qualifiers	
Decachlorobiphenyl	114	24-168		
2,4,5,6-Tetrachloro-m-Xylene	102	25-145		

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Quality Control - Spike/Spike Duplicate

 CH2M Hill
 Date Received:
 08/06/14

 6 Hutton Centre Drive, Suite 700
 Work Order:
 14-08-0423


 Santa Ana, CA 92707-5735
 Preparation:
 EPA 3545

 Method:
 EPA 8082

Project: Dynegy SBPP / 482070.01.03 Page 1 of 1

Quality Control Sample ID	Туре		Matrix	Inst	rument	Date Prepared	Date Ana	lyzed	MS/MSD Ba	tch Number
14-08-0330-1	Sample		Solid	GC	58	08/07/14	08/09/14	19:06	140807S19	
14-08-0330-1	Matrix Spike		Solid	GC	58	08/07/14	08/09/14	18:31	140807519	
14-08-0330-1	Matrix Spike	Duplicate	Solid	GC	58	08/07/14	08/09/14	18:48	140807519	
Parameter	<u>Sample</u> <u>Conc.</u>	<u>Spike</u> Added	<u>MS</u> Conc.	<u>MS</u> %Rec.	MSD Conc.	<u>MSD</u> %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Aroclor-1016	ND	100.0	145.1	145	128.7	129	50-135	12	0-20	3
Aroclor-1260	ND	100.0	90.10	90	75.17	75	50-135	18	0-25	





Quality Control - LCS

 CH2M Hill
 Date Received:
 08/06/14

 6 Hutton Centre Drive, Suite 700
 Work Order:
 14-08-0423

 Santa Ana, CA 92707-5735
 Preparation:
 EPA 3545

 Method:
 EPA 8082

Project: Dynegy SBPP / 482070.01.03 Page 1 of 1


Quality Control Sample ID	Type	Matrix	Instrument	Date	e Prepared	Date Analyzed	LCS	Batch Number
099-12-535-2795	LCS	Solid	GC 58	08/0	7/14	08/09/14 17:5	4 1408	107L19
Parameter		Spike Added	Conc. Recov	<u>ered</u>	LCS %R	ec. %Re	c. CL	Qualifiers
Aroclor-1016		100.0	98.12		98	50-1	35	
Aroclor-1260		100.0	93.50		93	50-1	35	





Sample Analysis Summary Report

Work Order: 14-08-0423				Page 1 of 1
<u>Method</u>	Extraction	Chemist ID	<u>Instrument</u>	Analytical Location
EPA 8082	EPA 3545	669	GC 58	1





Glossary of Terms and Qualifiers

Work Order: 14-08-0423 Page 1 of 1

Qualifiers	Definition
*	See applicable analysis comment.
<	Less than the indicated value.
>	Greater than the indicated value.
1	Surrogate compound recovery was out of control due to a required sample dilution. Therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to suspected matrix interference. The associated LCS recovery was in control.
4	The MS/MSD RPD was out of control due to suspected matrix interference.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference.
6	Surrogate recovery below the acceptance limit.
7	Surrogate recovery above the acceptance limit.
В	Analyte was present in the associated method blank.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
HD	The chromatographic pattern was inconsistent with the profile of the reference fuel standard.
HDH	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but heavier hydrocarbons were also present (or detected).
HDL	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but lighter hydrocarbons were also present (or detected).
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
JA	Analyte positively identified but quantitation is an estimate.
ME	LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean).
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.

- SG The sample extract was subjected to Silica Gel treatment prior to analysis.
- X % Recovery and/or RPD out-of-range.
- Z Analyte presence was not confirmed by second column or GC/MS analysis.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of <= 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.

Renum to Contrasts

Calscience

WORK ORDER #: 14-08- 4 [4]

Page 11 of 11

WORK ORDER #. 14-00

SAMPLE RECEIPT FORM Cooler	of	
----------------------------	----	--

CLIENT: CHAMHIU DATE: 08	8/06/14
TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0 °C - 6.0 °C, not frozen except sediments of the sediments of	_
6770 BETLIX	hecked by: <u>67\</u> necked by: <u>778</u>
Chain-Of-Custody (COC) document(s) received with samples	No N/A
Sample container label(s) consistent with COC	
Aqueous samples received within 15-minute holding time □ pH □ Residual Chlorine □ Dissolved Sulfides □ Dissolved Oxygen□ Proper preservation noted on COC or sample container□ □ Unpreserved vials received for Volatiles analysis Volatile analysis container(s) free of headspace□	
Tedlar bag(s) free of condensation	AGBna₂ □1AGBs PBna □500PB
Air: Tedlar® Canister Other: Trip Blank Lot#: Labeled/Che Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Revi Preservative: h: HCL n: HNO3 na2:Na2S2O3 na: NaOH p: H3PO4 s: H2SO4 u: Ultra-pure znna: ZnAc2+NaOH f: Filtered Sci	lewed by: 681

* Geal on lag